



Fleetguard[®]



COOLING PRODUCTS

INDUSTRY-LEADING PROTECTION

DISTRIBUTED BY

TAGEX

INDUSTRIAL SUPPLIES





Fleetguard coolants guard against issues like liner pitting, scaling and corrosion without harming non-metallics in your engine.

Plus they provide the anti-freeze/anti-boil protection you need.

Fleetguard advanced life-of-the-engine coolants help reduce extensive services and can reduce your planned maintenance spend by 60%.

DISTRIBUTED BY

TAGEX
INDUSTRIAL SUPPLIES

Cooling Products

Industry-leading Protection



📞 011 621 8300

📞 083 439 6607
063 276 5411

✉️ EMAIL ORDERS: sales@tagex.co.za



ES Compleat™ OAT

Nitrite, Amine, Phosphate & Silicate Free

Proven Performance:

- Life-of-the-Engine, 1,000,000-mile coolant when properly maintained
- Cummins and OEM approved nitrite, amine, phosphate, and silicate free formulation
- Provides antifreeze and antiboil protection
- Superior liner pitting and corrosion protection
- Superior aluminum and solder protection
- 2-ethylhexanoic acid free formula is compatible with all system gasket and hose materials
- Optimizes cooling system performance and water pump life
- Contains proprietary scale inhibitors

Valuable Versatility:

- Compatible with other antifreeze/coolants
- Available in 50/50
- For diesel, gasoline, natural gas, and battery electric vehicles and engines

Simple Serviceability:

- Low maintenance coolant with no SCA addition
- Compatible with chemical-free ES water filters



ES Compleat OAT	OAT EG PreMix ^{50/50}
Bulk	CC36074
275 Gallon Plastic Tote (1040 L)	CC36074USR
55 Gallon Drum (208 L)	CC36076
(3) 1 Gallon Bottles (3.78 L)	CC36077 CC36077X (Canada Only)

Fleetguard coolant part numbers apply to both US and Canada, except where specifically noted otherwise.



ES Compleat™

Heavy-duty Antifreeze/Coolant

Proven Performance:

- Life-of-the-Engine, 1,000,000 miles
- Provides antifreeze and antiboil protection
- Superior liner pitting and corrosion protection
- Exceeds ASTM D6210 and ASTM D3305
- CES14603 and CES14439 approved
- Compatible with gaskets, hoses and other non-metallics in the cooling system
- Optimizes cooling system performance and water pump life
- Contains proprietary scale inhibitors

Valuable Versatility:

- Compatible with other antifreeze/coolants
- Available in 50/50
- For all heavy-duty diesel and gas engines

Simple Serviceability:

- Provides 20,000 hours of protection
- Maintain with liquid DCA-4 or chemically active water filters as needed



ES Compleat EG	EG PreMix
Bulk	CC2827
275 Gallon Plastic Tote (1040 L)	CC8983
275 Gallon Plastic Tote (1040 L)	CC2907USR ^{60/40}
55 Gallon Drum (208 L)	CC2826
55 Gallon Drum (208 L)	CC2863 ^{60/40}
5 Gallon Pail (19 L)	CC2848
6/1 Gallon Bottle (3.78 L)	CC2825, CC02825X (Canada Only)

Fleetguard coolant part numbers apply to both U.S. and Canada, except where separate part numbers are noted.



ES Compleat™

Heavy-duty Antifreeze/Coolant

Specification	Performance Standard	EG Premix 50/50
Color	Visual	Blue
Specific Gravity @ 60° F (15.56° C) @ 68° F (20° C)	D1122 D1122	1.072 1.070
Density	–	8.944 lb/gal (1.072 kg/L)
pH (undiluted)	D1287	10.0
Reserve Alkalinity Typical (undiluted)	D1121	6.6
Freeze Point (undiluted)	D1177	-35.8° F (-37.68° C) min.
Boiling Point (undiluted)	D1120	226° F (107.78° C)
Water by Weight (approx.)	D1123	48.99% max.
Total Glycol by Weight	–	50.19% min.
Glassware Corrosion Test	D1384	Pass
Water Pump Cavitation Test	D2809	Pass
Aluminum Corrosion Test	D4340	Pass
Simulated Service Test	D2570	Pass
Ash Content by Mass	D1119	0.9%
Chloride by Weight	D5827	< 25 ppm

Monitor Your Cooling System

These quick and accurate tools are all you need:

- Dip and read test strips to easily test your coolant and water
 - Test freeze point and additive levels (CC36050)
 - Test water quality and coolant condition (CC2602 & CC2718)
- Refractometers (CC36049) that easily determine freeze point
- Monitor™ Coolant Analysis (CC2700) for when more detailed analysis is required – recommended 1x / year

CC2602



CC2718



CC36049



CC2700



DISTRIBUTED BY

TAGEX
INDUSTRIAL SUPPLIES

011 621 8300

083 439 6607
063 276 5411

EMAIL ORDERS: sales@tagex.co.za