

# TAGEX®



## Industrial belts

- All factory sites certified to ISO 9002
- All belts of course usable in sets
- All belts are antistatic and oil- and heat resistant



## Sovereign Quality

- all factory sites certified to ISO 9002
- all belts of course usable in sets
- all belts partly antistatic and oil- and heat resistant up to a certain degree

In the range of short narrow V-belts  
sections XPZ resp. 10A : up to 1715 mm  
sections XPA resp. 13A : up to 2200 mm

we wish to save our distributors and ourselves the problems which go with multiple stocks.

We have therefore combined the industrial and automotive range and are stocking them as standard with double marking in raw edge construction only.

## Wrapped V - belts

In the bold printed areas we have lifted the standard to unusual heights:

- improved Flex-Characteristic through use of special covers, thus suitable for simple back-bend idlers;
- enlarged cross - sections
- ideal contact in the pulley grooves and thus sovereign power transmission and long life.

short length shown in the non – bold printed areas may also be available in this construction, on request.



## Section SPZ / 3V



| Pitch length | outside length | RMA/MPTA |
|--------------|----------------|----------|
| SPZ 487      |                |          |
| SPZ 612      | 9,5 x 625      |          |
| SPZ 630      |                | 3V 250   |
| SPZ 637      | 9,5 x 650      |          |
| SPZ 670      |                | 3V 265   |
| SPZ 710      |                | 3V 280   |
| SPZ 730      |                |          |
| SPZ 750      |                |          |
| SPZ 800      |                | 3V 315   |
| SPZ 812      |                |          |
| SPZ 825      | 9,5 x 838      |          |
| SPZ 837      |                |          |
| SPZ 850      |                | 3V 335   |
| SPZ 862      | 9,5 x 875      |          |
| SPZ 875      | 9,5 x 888      |          |
| SPZ 900      |                | 3V 355   |
| SPZ 912      | 9,5 x 925      |          |
| SPZ 925      | 9,5 x 938      |          |
| SPZ 937      | 9,5 x 950      |          |
| SPZ 962      | 9,5 x 975      |          |
| SPZ 975      |                |          |
| SPZ 987      | 9,5 x 1000     |          |
| SPZ 1000     | 9,5 x 1013     |          |
| SPZ 1012     | 9,5 x 1025     | 3V 400   |
| SPZ 1037     | 9,5 x 1050     |          |
| SPZ 1062     | 9,5 x 1075     |          |
| SPZ 1075     |                | 3V 425   |
| SPZ 1087     | 9,5 x 1100     |          |
| SPZ 1112     | 9,5 x 1125     |          |
| SPZ 1120     | 9,5 x 1135     |          |
| SPZ 1137     | 9,5 x 1150     | 3V 450   |
| SPZ 1162     | 9,5 x 1175     |          |
| SPZ 1180     |                |          |
| SPZ 1200     | 9,5 x 1213     | 3V 475   |
| SPZ 1212     | 9,5 x 1225     |          |
| SPZ 1237     | 9,5 x 1250     |          |
| SPZ 1250     | 9,5 x 1263     |          |
| SPZ 1262     | 9,5 x 1275     | 3V 500   |
| SPZ 1287     | 9,5 x 1300     |          |
| SPZ 1312     |                |          |
| SPZ 1320     |                |          |
| SPZ 1337     | 9,5 x 1350     | 3V 530   |
| SPZ 1362     |                |          |
| SPZ 1387     |                |          |
| SPZ 1400     |                |          |
| SPZ 1420     |                | 3V 560   |
| SPZ 1450     |                |          |
| SPZ 1462     |                |          |

| Pitch length | outside length | RMA/MPTA |
|--------------|----------------|----------|
| SPZ 1500     |                |          |
| SPZ 1520     |                | 3V 600   |
| SPZ 1537     |                |          |
| SPZ 1562     | 9,5 x 1575     |          |
| SPZ 1600     |                | 3V 630   |
| SPZ 1612     | 9,5 x 1625     |          |
| SPZ 1637     |                |          |
| SPZ 1662     |                |          |
| SPZ 1687     |                |          |
| SPZ 1700     | 9,5 x 1713     | 3V 670   |
| SPZ 1737     |                |          |
| SPZ 1762     |                |          |
| SPZ 1787     |                |          |
| SPZ 1800     |                | 3V 710   |
| SPZ 1812     |                |          |
| SPZ 1837     |                |          |
| SPZ 1850     |                |          |
| SPZ 1862     |                |          |
| SPZ 1887     |                |          |
| SPZ 1900     |                | 3V 750   |
| SPZ 1937     |                |          |
| SPZ 1987     |                |          |
| SPZ 2000     |                |          |
| SPZ 2030     |                | 3V 800   |
| SPZ 2060     |                |          |
| SPZ 2087     |                |          |
| SPZ 2120     |                |          |
| SPZ 2137     |                |          |
| SPZ 2160     |                | 3V 850   |
| SPZ 2187     |                |          |
| SPZ 2240     |                |          |
| SPZ 2280     |                | 3V 900   |
| SPZ 2360     |                |          |
| SPZ 2410     |                | 3V 950   |
| SPZ 2437     |                |          |
| SPZ 2500     |                |          |
| SPZ 2540     |                | 3V 1000  |
| SPZ 2650     |                |          |
| SPZ 2690     |                | 3V 1060  |
| SPZ 2800     |                |          |
| SPZ 2840     |                | 3V 1120  |
| SPZ 3000     |                | 3V 1180  |
| SPZ 3150     |                |          |
| SPZ 3350     |                | 3V 1320  |
| SPZ 3550     |                | 3V 1400  |

Weight per m ~ 0,077 kg

Further sizes on request.

## Section SPA



| Pitch length |     | outside length |     |
|--------------|-----|----------------|-----|
| SPA          | 800 |                |     |
| SPA          | 832 |                |     |
| SPA          | 882 |                |     |
| SPA          | 932 | 12,5 x         | 950 |
| SPA          | 957 | 12,5 x         | 975 |

|     |      |        |      |
|-----|------|--------|------|
| SPA | 982  | 12,5 x | 1000 |
| SPA | 1000 | 12,5 x | 1025 |
| SPA | 1032 | 12,5 x | 1050 |
| SPA | 1060 | 12,5 x | 1075 |
| SPA | 1082 | 12,5 x | 1100 |

|     |      |        |      |
|-----|------|--------|------|
| SPA | 1107 | 12,5 x | 1125 |
| SPA | 1120 |        |      |
| SPA | 1132 | 12,5 x | 1150 |
| SPA | 1157 | 12,5 x | 1175 |
| SPA | 1180 |        |      |

|     |      |        |      |
|-----|------|--------|------|
| SPA | 1207 | 12,5 x | 1225 |
| SPA | 1232 | 12,5 x | 1250 |
| SPA | 1250 | 12,5 x | 1270 |
| SPA | 1257 | 12,5 x | 1275 |
| SPA | 1282 | 12,5 x | 1300 |

|     |      |        |      |
|-----|------|--------|------|
| SPA | 1307 | 12,5 x | 1325 |
| SPA | 1320 |        |      |
| SPA | 1332 | 12,5 x | 1350 |
| SPA | 1357 | 12,5 x | 1375 |
| SPA | 1382 | 12,5 x | 1400 |

|     |      |        |      |
|-----|------|--------|------|
| SPA | 1400 | 12,5 x | 1425 |
| SPA | 1432 | 12,5 x | 1450 |
| SPA | 1457 | 12,5 x | 1475 |
| SPA | 1482 | 12,5 x | 1500 |
| SPA | 1500 | 12,5 x | 1520 |

|     |      |        |      |
|-----|------|--------|------|
| SPA | 1600 | 12,5 x | 1625 |
| SPA | 1632 | 12,5 x | 1650 |
| SPA | 1657 | 12,5 x | 1675 |
| SPA | 1682 | 12,5 x | 1700 |
| SPA | 1700 | 12,5 x | 1725 |

|     |      |        |      |
|-----|------|--------|------|
| SPA | 1732 | 12,5 x | 1750 |
| SPA | 1757 | 12,5 x | 1775 |
| SPA | 1782 | 12,5 x | 1800 |
| SPA | 1800 | 12,5 x | 1825 |
| SPA | 1832 | 12,5 x | 1850 |

|     |      |        |      |
|-----|------|--------|------|
| SPA | 1857 | 12,5 x | 1875 |
| SPA | 1900 |        |      |
| SPA | 1932 |        |      |
| SPA | 1950 |        |      |
| SPA | 2000 |        |      |

| Pitch length |      | outside length |  |
|--------------|------|----------------|--|
| SPA          | 2032 |                |  |
| SPA          | 2057 |                |  |
| SPA          | 2082 |                |  |
| SPA          | 2120 |                |  |
| SPA          | 2132 |                |  |

|     |      |  |  |
|-----|------|--|--|
| SPA | 2182 |  |  |
| SPA | 2207 |  |  |
| SPA | 2232 |  |  |
| SPA | 2240 |  |  |
| SPA | 2282 |  |  |

|     |      |  |  |
|-----|------|--|--|
| SPA | 2307 |  |  |
| SPA | 2332 |  |  |
| SPA | 2360 |  |  |
| SPA | 2382 |  |  |
| SPA | 2432 |  |  |

|     |      |  |  |
|-----|------|--|--|
| SPA | 2482 |  |  |
| SPA | 2500 |  |  |
| SPA | 2582 |  |  |
| SPA | 2607 |  |  |
| SPA | 2650 |  |  |

|     |      |  |  |
|-----|------|--|--|
| SPA | 2682 |  |  |
| SPA | 2732 |  |  |
| SPA | 2782 |  |  |
| SPA | 2800 |  |  |
| SPA | 2832 |  |  |

|     |      |  |  |
|-----|------|--|--|
| SPA | 2847 |  |  |
| SPA | 2882 |  |  |
| SPA | 2932 |  |  |
| SPA | 2982 |  |  |
| SPA | 3000 |  |  |

|     |      |  |  |
|-----|------|--|--|
| SPA | 3032 |  |  |
| SPA | 3082 |  |  |
| SPA | 3150 |  |  |
| SPA | 3182 |  |  |
| SPA | 3282 |  |  |


|     |      |  |  |
|-----|------|--|--|
| SPA | 3350 |  |  |
| SPA | 3382 |  |  |
| SPA | 3550 |  |  |
| SPA | 3750 |  |  |
| SPA | 4000 |  |  |

|     |      |  |  |
|-----|------|--|--|
| SPA | 4250 |  |  |
| SPA | 4500 |  |  |


Weight per m ~ 0,140 kg

Further sizes on request.

## Section SPB / 5V



## Section SPC



| Pitch length | RMA/MPTA |
|--------------|----------|
| SPB 1250     |          |
| SPB 1260     |          |
| SPB 1320     |          |
| SPB 1340     | 5V 530   |
| SPB 1400     |          |

|          |  |
|----------|--|
| SPB 1450 |  |
| SPB 1500 |  |
| SPB 1550 |  |
| SPB 1600 |  |
| SPB 1700 |  |

|          |        |
|----------|--------|
| SPB 1720 |        |
| SPB 1750 |        |
| SPB 1800 | 5V 710 |
| SPB 1850 |        |
| SPB 1900 |        |

|          |        |
|----------|--------|
| SPB 1950 |        |
| SPB 2000 |        |
| SPB 2020 | 5V 800 |
| SPB 2060 |        |
| SPB 2120 |        |

|          |        |
|----------|--------|
| SPB 2150 | 5V 850 |
| SPB 2240 |        |
| SPB 2280 | 5V 900 |
| SPB 2360 |        |
| SPB 2410 | 5V 950 |

|          |         |
|----------|---------|
| SPB 2430 |         |
| SPB 2500 |         |
| SPB 2530 | 5V 1000 |
| SPB 2580 |         |
| SPB 2650 |         |

|          |         |
|----------|---------|
| SPB 2680 | 5V 1060 |
| SPB 2730 |         |
| SPB 2800 |         |
| SPB 2840 | 5V 1120 |
| SPB 2900 |         |

|          |  |
|----------|--|
| SPB 2950 |  |
| SPB 3000 |  |
| SPB 3100 |  |
| SPB 3150 |  |
| SPB 3170 |  |

| Pitch length | RMA/MPTA |
|--------------|----------|
| SPB 3250     |          |
| SPB 3350     | 5V 1320  |
| SPB 3550     | 5V 1400  |
| SPB 3650     |          |
| SPB 3750     |          |

|          |         |
|----------|---------|
| SPB 3770 |         |
| SPB 3800 | 5V 1500 |
| SPB 4000 |         |
| SPB 4060 |         |
| SPB 4250 |         |

|          |         |
|----------|---------|
| SPB 4310 | 5V 1700 |
| SPB 4500 |         |
| SPB 4560 | 5V 1800 |
| SPB 4700 |         |
| SPB 4750 |         |

|          |         |
|----------|---------|
| SPB 4820 | 5V 1900 |
| SPB 5000 |         |
| SPB 5070 | 5V 2000 |
| SPB 5300 |         |
| SPB 5380 | 5V 2120 |

|          |         |
|----------|---------|
| SPB 5600 |         |
| SPB 5680 | 5V 2240 |
| SPB 5900 |         |
| SPB 6000 | 5V 2360 |
| SPB 6300 |         |

|          |         |
|----------|---------|
| SPB 6700 |         |
| SPB 7100 | 5V 2800 |
| SPB 7500 |         |
| SPB 8000 | 5V 3150 |
| SPB 8500 |         |

|          |  |
|----------|--|
| SPB 9000 |  |
|----------|--|

Weight per m ~ 0,227 kg

| Pitch length |  |
|--------------|--|
| SPC 2000     |  |
| SPC 2120     |  |
| SPC 2240     |  |
| SPC 2360     |  |
| SPC 2500     |  |

|          |  |
|----------|--|
| SPC 2650 |  |
| SPC 2750 |  |
| SPC 2800 |  |
| SPC 3000 |  |
| SPC 3150 |  |

|          |  |
|----------|--|
| SPC 3350 |  |
| SPC 3550 |  |
| SPC 3750 |  |
| SPC 4000 |  |
| SPC 4250 |  |

|          |  |
|----------|--|
| SPC 4500 |  |
| SPC 4750 |  |
| SPC 5000 |  |
| SPC 5300 |  |
| SPC 5600 |  |

|          |  |
|----------|--|
| SPC 5700 |  |
| SPC 6000 |  |
| SPC 6103 |  |
| SPC 6300 |  |
| SPC 6700 |  |

|          |  |
|----------|--|
| SPC 7100 |  |
| SPC 7500 |  |
| SPC 8000 |  |
| SPC 8500 |  |
| SPC 9000 |  |

|           |  |
|-----------|--|
| SPC 9500  |  |
| SPC 10000 |  |
| SPC 10600 |  |
| SPC 11200 |  |
| SPC 12500 |  |

Weight per m ~ 0,425 kg

Section 8V on request!




## Section 10 / Z

| Li (mm) |      |   | Lp (mm) |  | Li (") |
|---------|------|---|---------|--|--------|
| 10 x    | 330  | / | 350     |  | Z 13   |
| 10 x    | 380  | / | 400     |  | Z 15   |
| 10 x    | 400  | / | 422     |  | Z 16   |
| 10 x    | 430  | / | 450     |  | Z 17   |
| 10 x    | 450  | / | 472     |  | Z 18   |
|         |      |   |         |  |        |
| 10 x    | 480  | / | 500     |  | Z 19   |
| 10 x    | 500  | / | 522     |  | Z 20   |
| 10 x    | 535  | / | 557     |  | Z 21   |
| 10 x    | 560  | / | 580     |  | Z 22   |
| 10 x    | 575  | / | 595     |  | Z 22,5 |
|         |      |   |         |  |        |
| 10 x    | 585  | / | 605     |  | Z 23   |
| 10 x    | 610  | / | 630     |  | Z 24   |
| 10 x    | 630  | / | 652     |  | Z 25   |
| 10 x    | 660  | / | 680     |  | Z 26   |
| 10 x    | 670  | / | 690     |  | Z 26,5 |
|         |      |   |         |  |        |
| 10 x    | 685  | / | 707     |  | Z 27   |
| 10 x    | 710  | / | 730     |  | Z 28   |
| 10 x    | 735  | / | 757     |  | Z 29   |
| 10 x    | 750  | / | 772     |  | Z 29,5 |
| 10 x    | 760  | / | 780     |  | Z 30   |
|         |      |   |         |  |        |
| 10 x    | 775  | / | 797     |  | Z 30,5 |
| 10 x    | 785  | / | 810     |  | Z 31   |
| 10 x    | 800  | / | 820     |  | Z 31,5 |
| 10 x    | 810  | / | 832     |  | Z 32   |
| 10 x    | 840  | / | 860     |  | Z 33   |
|         |      |   |         |  |        |
| 10 x    | 850  | / | 870     |  | Z 33,5 |
| 10 x    | 865  | / | 885     |  | Z 34   |
| 10 x    | 876  | / | 898     |  | Z 34,5 |
| 10 x    | 889  | / | 910     |  | Z 35   |
| 10 x    | 900  | / | 922     |  | Z 35,5 |
|         |      |   |         |  |        |
| 10 x    | 914  | / | 934     |  | Z 36   |
| 10 x    | 926  | / | 946     |  | Z 36,5 |
| 10 x    | 940  | / | 960     |  | Z 37   |
| 10 x    | 955  | / | 975     |  | Z 37,5 |
| 10 x    | 965  | / | 987     |  | Z 38   |
|         |      |   |         |  |        |
| 10 x    | 975  | / | 997     |  | Z 38,5 |
| 10 x    | 990  | / | 1012    |  | Z 39   |
| 10 x    | 1000 | / | 1020    |  | Z 39,5 |
| 10 x    | 1016 | / | 1038    |  | Z 40   |
| 10 x    | 1030 | / | 1050    |  | Z 40,5 |
|         |      |   |         |  |        |
| 10 x    | 1041 | / | 1063    |  | Z 41   |
| 10 x    | 1067 | / | 1090    |  | Z 42   |
| 10 x    | 1096 | / | 1120    |  | Z 43   |
| 10 x    | 1120 | / | 1140    |  | Z 44   |
| 10 x    | 1150 | / | 1170    |  | Z 45   |

| Li (mm)   | Lp (mm) | Li (") |
|-----------|---------|--------|
| 10 x 1156 | / 1176  | Z 45,5 |
| 10 x 1168 | / 1190  | Z 46   |
| 10 x 1200 | / 1220  | Z 47   |
| 10 x 1219 | / 1240  | Z 48   |
| 10 x 1228 | / 1250  | Z 48,5 |
| 10 x 1250 | / 1270  | Z 49   |
| 10 x 1270 | / 1290  | Z 50   |
| 10 x 1295 | / 1317  | Z 51   |
| 10 x 1320 | / 1340  | Z 52   |
| 10 x 1346 | / 1368  | Z 53   |
| 10 x 1370 | / 1390  | Z 54   |
| 10 x 1400 | / 1420  | Z 55   |
| 10 x 1422 | / 1444  | Z 56   |
| 10 x 1450 | / 1470  | Z 57   |
| 10 x 1475 | / 1497  | Z 58   |
| 10 x 1500 | / 1520  | Z 59   |
| 10 x 1525 | / 1547  | Z 60   |
| 10 x 1550 | / 1570  | Z 61   |
| 10 x 1575 | / 1597  | Z 62   |
| 10 x 1600 | / 1620  | Z 63   |
| 10 x 1625 | / 1647  | Z 64   |
| 10 x 1650 | / 1670  | Z 65   |
| 10 x 1670 | / 1692  | Z 66   |
| 10 x 1700 | / 1720  | Z 67   |
| 10 x 1725 | / 1747  | Z 68   |
| 10 x 1750 | / 1770  | Z 69   |
| 10 x 1775 | / 1797  | Z 70   |
| 10 x 1800 | / 1820  | Z 71   |
| 10 x 1850 | / 1872  | Z 73   |
| 10 x 1880 | / 1900  | Z 74   |
| 10 x 1900 | / 1922  | Z 75   |
| 10 x 1950 | / 1972  | Z 77   |
| 10 x 1978 | / 2000  | Z 78   |
| 10 x 2000 | / 2022  | Z 79   |
| 10 x 2120 | / 2140  | Z 83,5 |
| 10 x 2240 | / 2260  | Z 88   |
| 10 x 2360 | / 2380  | Z 93   |
| 10 x 2500 | / 2522  | Z 98   |

Weight per m ~ 0,075 kg



## Section 13 / A

|      | Li (mm) | Lp (mm) | Li (") |
|------|---------|---------|--------|
| 13 x | 380     | / 410   | A 15   |
| 13 x | 407     | / 437   | A 16   |
| 13 x | 432     | / 462   | A 17   |
| 13 x | 457     | / 487   | A 18   |
| 13 x | 483     | / 513   | A 19   |
|      |         |         |        |
| 13 x | 508     | / 540   | A 20   |
| 13 x | 535     | / 565   | A 21   |
| 13 x | 560     | / 590   | A 22   |
| 13 x | 585     | / 615   | A 23   |
| 13 x | 610     | / 640   | A 24   |
|      |         |         |        |
| 13 x | 635     | / 665   | A 25   |
| 13 x | 650     | / 680   | A 25,5 |
| 13 x | 660     | / 690   | A 26   |
| 13 x | 670     | / 700   | A 26,5 |
| 13 x | 686     | / 716   | A 27   |
|      |         |         |        |
| 13 x | 700     | / 730   | A 27,5 |
| 13 x | 710     | / 740   | A 28   |
| 13 x | 737     | / 767   | A 29   |
| 13 x | 750     | / 780   | A 29,5 |
| 13 x | 767     | / 797   | A 30   |
|      |         |         |        |
| 13 x | 785     | / 815   | A 31   |
| 13 x | 800     | / 830   | A 31,5 |
| 13 x | 813     | / 843   | A 32   |
| 13 x | 825     | / 855   | A 32,5 |
| 13 x | 838     | / 868   | A 33   |
|      |         |         |        |
| 13 x | 850     | / 880   | A 33,5 |
| 13 x | 865     | / 895   | A 34   |
| 13 x | 889     | / 919   | A 35   |
| 13 x | 900     | / 930   | A 35,5 |
| 13 x | 914     | / 944   | A 36   |
|      |         |         |        |
| 13 x | 925     | / 955   | A 36,5 |
| 13 x | 940     | / 970   | A 37   |
| 13 x | 965     | / 995   | A 38   |
| 13 x | 990     | / 1020  | A 39   |
| 13 x | 1016    | / 1046  | A 40   |
|      |         |         |        |
| 13 x | 1030    | / 1060  | A 40,5 |
| 13 x | 1041    | / 1071  | A 41   |
| 13 x | 1055    | / 1085  | A 41,5 |
| 13 x | 1067    | / 1097  | A 42   |
| 13 x | 1080    | / 1110  | A 42,5 |

|      | Li (mm) | Lp (mm) | Li (") |
|------|---------|---------|--------|
| 13 x | 1092    | / 1122  | A 43   |
| 13 x | 1105    | / 1135  | A 43,5 |
| 13 x | 1120    | / 1150  | A 44   |
| 13 x | 1130    | / 1160  | A 44,5 |
| 13 x | 1143    | / 1173  | A 45   |
|      |         |         |        |
| 13 x | 1168    | / 1198  | A 46   |
| 13 x | 1180    | / 1210  | A 46,5 |
| 13 x | 1194    | / 1224  | A 47   |
| 13 x | 1220    | / 1250  | A 48   |
| 13 x | 1245    | / 1275  | A 49   |
|      |         |         |        |
| 13 x | 1270    | / 1300  | A 50   |
| 13 x | 1283    | / 1313  | A 50,5 |
| 13 x | 1295    | / 1325  | A 51   |
| 13 x | 1320    | / 1350  | A 52   |
| 13 x | 1346    | / 1376  | A 53   |
|      |         |         |        |
| 13 x | 1375    | / 1405  | A 54   |
| 13 x | 1400    | / 1430  | A 55   |
| 13 x | 1422    | / 1452  | A 56   |
| 13 x | 1450    | / 1480  | A 57   |
| 13 x | 1475    | / 1505  | A 58   |
|      |         |         |        |
| 13 x | 1500    | / 1530  | A 59   |
| 13 x | 1525    | / 1555  | A 60   |
| 13 x | 1550    | / 1580  | A 61   |
| 13 x | 1575    | / 1605  | A 62   |
| 13 x | 1600    | / 1630  | A 63   |
|      |         |         |        |
| 13 x | 1625    | / 1655  | A 64   |
| 13 x | 1650    | / 1680  | A 65   |
| 13 x | 1676    | / 1706  | A 66   |
| 13 x | 1700    | / 1730  | A 67   |
| 13 x | 1725    | / 1755  | A 68   |
|      |         |         |        |
| 13 x | 1750    | / 1780  | A 69   |
| 13 x | 1775    | / 1805  | A 70   |
| 13 x | 1800    | / 1830  | A 71   |
| 13 x | 1825    | / 1855  | A 72   |
| 13 x | 1854    | / 1884  | A 73   |
|      |         |         |        |
| 13 x | 1880    | / 1910  | A 74   |
| 13 x | 1900    | / 1930  | A 75   |
| 13 x | 1930    | / 1960  | A 76   |
| 13 x | 1956    | / 1986  | A 77   |
| 13 x | 1970    | / 2000  | A 77,5 |




classical v-belts - wrapped DIN 2215 / ISO 4184 / BS 3790

|      | Li (mm) | Lp (mm) | Li (") |
|------|---------|---------|--------|
| 13 x | 1980    | / 2010  | A 78   |
| 13 x | 2000    | / 2030  | A 79   |
| 13 x | 2032    | / 2062  | A 80   |
| 13 x | 2060    | / 2090  | A 81   |
| 13 x | 2083    | / 2113  | A 82   |
|      |         |         |        |
| 13 x | 2100    | / 2130  | A 83   |
| 13 x | 2120    | / 2150  | A 83,5 |
| 13 x | 2134    | / 2164  | A 84   |
| 13 x | 2160    | / 2190  | A 85   |
| 13 x | 2184    | / 2214  | A 86   |
|      |         |         |        |
| 13 x | 2210    | / 2240  | A 87   |
| 13 x | 2240    | / 2270  | A 88   |
| 13 x | 2261    | / 2291  | A 89   |
| 13 x | 2286    | / 2316  | A 90   |
| 13 x | 2311    | / 2340  | A 91   |
|      |         |         |        |
| 13 x | 2337    | / 2367  | A 92   |
| 13 x | 2360    | / 2390  | A 93   |
| 13 x | 2388    | / 2420  | A 94   |
| 13 x | 2413    | / 2443  | A 95   |
| 13 x | 2438    | / 2470  | A 96   |
|      |         |         |        |
| 13 x | 2464    | / 2494  | A 97   |
| 13 x | 2489    | / 2520  | A 98   |
| 13 x | 2540    | / 2570  | A 100  |
| 13 x | 2565    | / 2595  | A 101  |
| 13 x | 2591    | / 2621  | A 102  |
|      |         |         |        |
| 13 x | 2650    | / 2680  | A 104  |
| 13 x | 2667    | / 2697  | A 105  |
| 13 x | 2692    | / 2722  | A 106  |
| 13 x | 2725    | / 2755  | A 107  |
| 13 x | 2743    | / 2773  | A 108  |
|      |         |         |        |
| 13 x | 2770    | / 2800  | A 109  |
| 13 x | 2800    | / 2830  | A 110  |
| 13 x | 2820    | / 2850  | A 111  |
| 13 x | 2845    | / 2875  | A 112  |
| 13 x | 2870    | / 2900  | A 113  |
|      |         |         |        |
| 13 x | 2896    | / 2926  | A 114  |
| 13 x | 2921    | / 2950  | A 115  |
| 13 x | 2946    | / 2976  | A 116  |
| 13 x | 2972    | / 3002  | A 117  |
| 13 x | 3000    | / 3030  | A 118  |

|      | Li (mm) | Lp (mm) | Li (") |
|------|---------|---------|--------|
| 13 x | 3048    | / 3078  | A 120  |
| 13 x | 3150    | / 3180  | A 124  |
| 13 x | 3175    | / 3205  | A 125  |
| 13 x | 3200    | / 3230  | A 126  |
| 13 x | 3250    | / 3280  | A 128  |
|      |         |         |        |
| 13 x | 3302    | / 3332  | A 130  |
| 13 x | 3350    | / 3380  | A 132  |
| 13 x | 3454    | / 3484  | A 136  |
| 13 x | 3505    | / 3535  | A 138  |
| 13 x | 3550    | / 3580  | A 140  |
|      |         |         |        |
| 13 x | 3658    | / 3690  | A 144  |
| 13 x | 3750    | / 3780  | A 148  |
| 13 x | 3940    | / 3970  | A 155  |
| 13 x | 4000    | / 4030  | A 158  |
| 13 x | 4064    | / 4094  | A 160  |
|      |         |         |        |
| 13 x | 4250    | / 4280  | A 167  |
| 13 x | 4750    | / 4780  | A 187  |
| 13 x | 5000    | / 5030  | A 197  |

Weight per m ~ 0,130 kg



## Section 17 / B

|      | Li (mm) |   | Lp (mm) |  | Li (") |
|------|---------|---|---------|--|--------|
| 17 x | 559     | / | 599     |  | B 22   |
| 17 x | 584     | / | 625     |  | B 23   |
| 17 x | 610     | / | 650     |  | B 24   |
| 17 x | 630     | / | 670     |  | B 25   |
| 17 x | 650     | / | 690     |  | B 26   |
|      |         |   |         |  |        |
| 17 x | 686     | / | 725     |  | B 27   |
| 17 x | 710     | / | 750     |  | B 28   |
| 17 x | 737     | / | 777     |  | B 29   |
| 17 x | 750     | / | 790     |  | B 29,5 |
| 17 x | 762     | / | 802     |  | B 30   |
|      |         |   |         |  |        |
| 17 x | 787     | / | 827     |  | B 31   |
| 17 x | 800     | / | 840     |  | B 31,5 |
| 17 x | 813     | / | 853     |  | B 32   |
| 17 x | 825     | / | 865     |  | B 32,5 |
| 17 x | 838     | / | 878     |  | B 33   |
|      |         |   |         |  |        |
| 17 x | 850     | / | 890     |  | B 33,5 |
| 17 x | 864     | / | 904     |  | B 34   |
| 17 x | 889     | / | 929     |  | B 35   |
| 17 x | 901     | / | 941     |  | B 35,5 |
| 17 x | 914     | / | 954     |  | B 36   |
|      |         |   |         |  |        |
| 17 x | 925     | / | 965     |  | B 36,5 |
| 17 x | 940     | / | 980     |  | B 37   |
| 17 x | 956     | / | 996     |  | B 37,5 |
| 17 x | 965     | / | 1005    |  | B 38   |
| 17 x | 976     | / | 1016    |  | B 38,5 |
|      |         |   |         |  |        |
| 17 x | 990     | / | 1030    |  | B 39   |
| 17 x | 1000    | / | 1040    |  | B 39,5 |
| 17 x | 1016    | / | 1056    |  | B 40   |
| 17 x | 1040    | / | 1080    |  | B 41   |
| 17 x | 1056    | / | 1096    |  | B 41,5 |
|      |         |   |         |  |        |
| 17 x | 1060    | / | 1100    |  | B 42   |
| 17 x | 1080    | / | 1120    |  | B 42,5 |
| 17 x | 1090    | / | 1130    |  | B 43   |
| 17 x | 1101    | / | 1141    |  | B 43,5 |
| 17 x | 1120    | / | 1160    |  | B 44   |
|      |         |   |         |  |        |
| 17 x | 1143    | / | 1183    |  | B 45   |
| 17 x | 1168    | / | 1208    |  | B 46   |
| 17 x | 1180    | / | 1220    |  | B 46,5 |
| 17 x | 1194    | / | 1234    |  | B 47   |
| 17 x | 1210    | / | 1250    |  | B 47,5 |
|      |         |   |         |  |        |
| 17 x | 1215    | / | 1255    |  | B 48   |
| 17 x | 1245    | / | 1285    |  | B 49   |
| 17 x | 1270    | / | 1310    |  | B 50   |

|      | Li (mm) |   | Lp (mm) |  | Li (") |
|------|---------|---|---------|--|--------|
| 17 x | 1295    | / | 1335    |  | B 51   |
| 17 x | 1320    | / | 1360    |  | B 52   |
| 17 x | 1346    | / | 1386    |  | B 53   |
| 17 x | 1360    | / | 1400    |  | B 53,5 |
| 17 x | 1372    | / | 1412    |  | B 54   |
|      |         |   |         |  |        |
| 17 x | 1400    | / | 1440    |  | B 55   |
| 17 x | 1410    | / | 1450    |  | B 55,5 |
| 17 x | 1422    | / | 1462    |  | B 56   |
| 17 x | 1450    | / | 1490    |  | B 57   |
| 17 x | 1473    | / | 1513    |  | B 58   |
|      |         |   |         |  |        |
| 17 x | 1500    | / | 1540    |  | B 59   |
| 17 x | 1525    | / | 1565    |  | B 60   |
| 17 x | 1550    | / | 1590    |  | B 61   |
| 17 x | 1575    | / | 1615    |  | B 62   |
| 17 x | 1600    | / | 1640    |  | B 63   |
|      |         |   |         |  |        |
| 17 x | 1625    | / | 1665    |  | B 64   |
| 17 x | 1650    | / | 1690    |  | B 65   |
| 17 x | 1676    | / | 1716    |  | B 66   |
| 17 x | 1700    | / | 1740    |  | B 67   |
| 17 x | 1725    | / | 1765    |  | B 68   |
|      |         |   |         |  |        |
| 17 x | 1750    | / | 1790    |  | B 69   |
| 17 x | 1775    | / | 1815    |  | B 70   |
| 17 x | 1800    | / | 1840    |  | B 71   |
| 17 x | 1829    | / | 1869    |  | B 72   |
| 17 x | 1850    | / | 1890    |  | B 73   |
|      |         |   |         |  |        |
| 17 x | 1880    | / | 1920    |  | B 74   |
| 17 x | 1900    | / | 1940    |  | B 75   |
| 17 x | 1930    | / | 1970    |  | B 76   |
| 17 x | 1950    | / | 1990    |  | B 77   |
| 17 x | 1981    | / | 2021    |  | B 78   |
|      |         |   |         |  |        |
| 17 x | 2000    | / | 2040    |  | B 79   |
| 17 x | 2032    | / | 2072    |  | B 80   |
| 17 x | 2060    | / | 2100    |  | B 81   |
| 17 x | 2076    | / | 2116    |  | B 81,5 |
| 17 x | 2083    | / | 2123    |  | B 82   |
|      |         |   |         |  |        |
| 17 x | 2100    | / | 2140    |  | B 83   |
| 17 x | 2120    | / | 2160    |  | B 83,5 |
| 17 x | 2134    | / | 2174    |  | B 84   |
| 17 x | 2160    | / | 2200    |  | B 85   |
| 17 x | 2184    | / | 2224    |  | B 86   |
|      |         |   |         |  |        |
| 17 x | 2200    | / | 2240    |  | B 86,5 |
| 17 x | 2210    | / | 2250    |  | B 87   |
| 17 x | 2240    | / | 2280    |  | B 88   |



classical v-belts - wrapped DIN 2215 / ISO 4184 / BS 3790

|      | Li (mm) |   | Lp (mm) |  | Li (") |
|------|---------|---|---------|--|--------|
| 17 x | 2261    | / | 2301    |  | B 89   |
| 17 x | 2286    | / | 2326    |  | B 90   |
| 17 x | 2300    | / | 2340    |  | B 91   |
| 17 x | 2320    | / | 2360    |  | B 91,5 |
| 17 x | 2337    | / | 2377    |  | B 92   |
|      |         |   |         |  |        |
| 17 x | 2360    | / | 2400    |  | B 93   |
| 17 x | 2388    | / | 2428    |  | B 94   |
| 17 x | 2413    | / | 2453    |  | B 95   |
| 17 x | 2438    | / | 2478    |  | B 96   |
| 17 x | 2450    | / | 2490    |  | B 96,5 |
|      |         |   |         |  |        |
| 17 x | 2465    | / | 2505    |  | B 97   |
| 17 x | 2500    | / | 2540    |  | B 98   |
| 17 x | 2515    | / | 2555    |  | B 99   |
| 17 x | 2540    | / | 2580    |  | B 100  |
| 17 x | 2565    | / | 2605    |  | B 101  |
|      |         |   |         |  |        |
| 17 x | 2600    | / | 2640    |  | B 102  |
| 17 x | 2616    | / | 2656    |  | B 103  |
| 17 x | 2650    | / | 2690    |  | B 104  |
| 17 x | 2667    | / | 2707    |  | B 105  |
| 17 x | 2700    | / | 2740    |  | B 106  |
|      |         |   |         |  |        |
| 17 x | 2718    | / | 2758    |  | B 107  |
| 17 x | 2750    | / | 2790    |  | B 108  |
| 17 x | 2769    | / | 2809    |  | B 109  |
| 17 x | 2800    | / | 2840    |  | B 110  |
| 17 x | 2845    | / | 2885    |  | B 112  |
|      |         |   |         |  |        |
| 17 x | 2870    | / | 2910    |  | B 113  |
| 17 x | 2900    | / | 2940    |  | B 114  |
| 17 x | 2950    | / | 2990    |  | B 116  |
| 17 x | 2972    | / | 3012    |  | B 117  |
| 17 x | 3000    | / | 3040    |  | B 118  |
|      |         |   |         |  |        |
| 17 x | 3048    | / | 3088    |  | B 120  |
| 17 x | 3100    | / | 3140    |  | B 122  |
| 17 x | 3150    | / | 3190    |  | B 124  |
| 17 x | 3200    | / | 3240    |  | B 126  |
| 17 x | 3250    | / | 3290    |  | B 128  |
|      |         |   |         |  |        |
| 17 x | 3300    | / | 3340    |  | B 130  |
| 17 x | 3350    | / | 3390    |  | B 132  |
| 17 x | 3378    | / | 3418    |  | B 133  |
| 17 x | 3400    | / | 3440    |  | B 134  |
| 17 x | 3450    | / | 3490    |  | B 136  |
|      |         |   |         |  |        |
| 17 x | 3505    | / | 3545    |  | B 138  |
| 17 x | 3550    | / | 3590    |  | B 140  |
| 17 x | 3600    | / | 3640    |  | B 142  |
| 17 x | 3650    | / | 3690    |  | B 144  |
| 17 x | 3708    | / | 3748    |  | B 146  |
| 17 x | 3750    | / | 3790    |  | B 148  |

|      | Li (mm) |   | Lp (mm) |  | Li (") |
|------|---------|---|---------|--|--------|
| 17 x | 3810    | / | 3850    |  | B 150  |
| 17 x | 3835    | / | 3875    |  | B 151  |
| 17 x | 3861    | / | 3901    |  | B 152  |
| 17 x | 3912    | / | 3952    |  | B 154  |
| 17 x | 3950    | / | 3990    |  | B 155  |
|      |         |   |         |  |        |
| 17 x | 3962    | / | 4002    |  | B 156  |
| 17 x | 3988    | / | 4028    |  | B 157  |
| 17 x | 4000    | / | 4040    |  | B 158  |
| 17 x | 4064    | / | 4104    |  | B 160  |
| 17 x | 4115    | / | 4155    |  | B 162  |
|      |         |   |         |  |        |
| 17 x | 4140    | / | 4180    |  | B 163  |
| 17 x | 4191    | / | 4231    |  | B 165  |
| 17 x | 4250    | / | 4290    |  | B 167  |
| 17 x | 4318    | / | 4358    |  | B 170  |
| 17 x | 4370    | / | 4410    |  | B 172  |
|      |         |   |         |  |        |
| 17 x | 4394    | / | 4434    |  | B 173  |
| 17 x | 4445    | / | 4485    |  | B 175  |
| 17 x | 4500    | / | 4540    |  | B 177  |
| 17 x | 4572    | / | 4612    |  | B 180  |
| 17 x | 4750    | / | 4790    |  | B 187  |
|      |         |   |         |  |        |
| 17 x | 4877    | / | 4917    |  | B 192  |
| 17 x | 4900    | / | 4940    |  | B 193  |
| 17 x | 4953    | / | 4993    |  | B 195  |
| 17 x | 5000    | / | 5040    |  | B 197  |
| 17 x | 5300    | / | 5340    |  | B 208  |
|      |         |   |         |  |        |
| 17 x | 5334    | / | 5374    |  | B 210  |
| 17 x | 5460    | / | 5500    |  | B 215  |
| 17 x | 5600    | / | 5640    |  | B 220  |
| 17 x | 6000    | / | 6040    |  | B 236  |
| 17 x | 6096    | / | 6136    |  | B 240  |
|      |         |   |         |  |        |
| 17 x | 6300    | / | 6340    |  | B 248  |
| 17 x | 6420    | / | 6460    |  | B 253  |
| 17 x | 6477    | / | 6517    |  | B 255  |
| 17 x | 6502    | / | 6542    |  | B 256  |
| 17 x | 6579    | / | 6619    |  | B 259  |
|      |         |   |         |  |        |
| 17 x | 6700    | / | 6740    |  | B 264  |
| 17 x | 6730    | / | 6770    |  | B 265  |
| 17 x | 6858    | / | 6898    |  | B 270  |
| 17 x | 7000    | / | 7040    |  | B 276  |
| 17 x | 7100    | / | 7140    |  | B 280  |
|      |         |   |         |  |        |
| 17 x | 7620    | / | 7660    |  | B 300  |
| 17 x | 8382    | / | 8422    |  | B 330  |
| 17 x | 9144    | / | 9184    |  | B 360  |
| 17 x | 11000   | / | 11040   |  | B 433  |
| 17 x | 13000   | / | 13040   |  | B 512  |

Weight per m ~ 0,205 kg

Further sizes on request.



## Section 22 / C

|      | Li (mm) | Lp (mm) | Li (") |
|------|---------|---------|--------|
| 22 x | 1090    | / 1148  | C 43   |
| 22 x | 1143    | / 1201  | C 45   |
| 22 x | 1168    | / 1226  | C 46   |
| 22 x | 1194    | / 1252  | C 47   |
| 22 x | 1215    | / 1273  | C 48   |
|      |         |         |        |
| 22 x | 1250    | / 1308  | C 49   |
| 22 x | 1270    | / 1328  | C 50   |
| 22 x | 1300    | / 1358  | C 51   |
| 22 x | 1325    | / 1383  | C 52   |
| 22 x | 1350    | / 1408  | C 53   |
|      |         |         |        |
| 22 x | 1375    | / 1433  | C 54   |
| 22 x | 1400    | / 1458  | C 55   |
| 22 x | 1425    | / 1483  | C 56   |
| 22 x | 1450    | / 1508  | C 57   |
| 22 x | 1475    | / 1533  | C 58   |
|      |         |         |        |
| 22 x | 1500    | / 1558  | C 59   |
| 22 x | 1525    | / 1583  | C 60   |
| 22 x | 1550    | / 1610  | C 61   |
| 22 x | 1575    | / 1633  | C 62   |
| 22 x | 1600    | / 1658  | C 63   |
|      |         |         |        |
| 22 x | 1625    | / 1683  | C 64   |
| 22 x | 1650    | / 1708  | C 65   |
| 22 x | 1675    | / 1733  | C 66   |
| 22 x | 1700    | / 1758  | C 67   |
| 22 x | 1725    | / 1783  | C 68   |
|      |         |         |        |
| 22 x | 1750    | / 1808  | C 69   |
| 22 x | 1775    | / 1833  | C 70   |
| 22 x | 1800    | / 1858  | C 71   |
| 22 x | 1825    | / 1883  | C 72   |
| 22 x | 1850    | / 1908  | C 73   |
|      |         |         |        |
| 22 x | 1880    | / 1938  | C 74   |
| 22 x | 1900    | / 1958  | C 75   |
| 22 x | 1930    | / 1988  | C 76   |
| 22 x | 1956    | / 2014  | C 77   |
| 22 x | 1981    | / 2040  | C 78   |
|      |         |         |        |
| 22 x | 2000    | / 2058  | C 79   |
| 22 x | 2032    | / 2090  | C 80   |
| 22 x | 2060    | / 2118  | C 81   |
| 22 x | 2083    | / 2140  | C 82   |
| 22 x | 2108    | / 2166  | C 83   |
|      |         |         |        |
| 22 x | 2120    | / 2178  | C 83,5 |
| 22 x | 2134    | / 2192  | C 84   |
| 22 x | 2159    | / 2217  | C 85   |

|      | Li (mm) | Lp (mm) | Li (") |
|------|---------|---------|--------|
| 22 x | 2184    | / 2242  | C 86   |
| 22 x | 2210    | / 2268  | C 87   |
| 22 x | 2240    | / 2298  | C 88   |
| 22 x | 2261    | / 2320  | C 89   |
| 22 x | 2286    | / 2344  | C 90   |
|      |         |         |        |
| 22 x | 2311    | / 2370  | C 91   |
| 22 x | 2337    | / 2395  | C 92   |
| 22 x | 2360    | / 2418  | C 93   |
| 22 x | 2388    | / 2446  | C 94   |
| 22 x | 2413    | / 2470  | C 95   |
|      |         |         |        |
| 22 x | 2438    | / 2496  | C 96   |
| 22 x | 2464    | / 2522  | C 97   |
| 22 x | 2500    | / 2558  | C 98   |
| 22 x | 2515    | / 2573  | C 99   |
| 22 x | 2540    | / 2598  | C 100  |
|      |         |         |        |
| 22 x | 2565    | / 2623  | C 101  |
| 22 x | 2591    | / 2650  | C 102  |
| 22 x | 2616    | / 2674  | C 103  |
| 22 x | 2642    | / 2700  | C 104  |
| 22 x | 2667    | / 2725  | C 105  |
|      |         |         |        |
| 22 x | 2692    | / 2750  | C 106  |
| 22 x | 2750    | / 2808  | C 108  |
| 22 x | 2800    | / 2858  | C 110  |
| 22 x | 2845    | / 2903  | C 112  |
| 22 x | 2900    | / 2958  | C 114  |
|      |         |         |        |
| 22 x | 2920    | / 2978  | C 115  |
| 22 x | 2950    | / 3008  | C 116  |
| 22 x | 2972    | / 3030  | C 117  |
| 22 x | 3000    | / 3058  | C 118  |
| 22 x | 3050    | / 3108  | C 120  |
|      |         |         |        |
| 22 x | 3100    | / 3158  | C 122  |
| 22 x | 3150    | / 3208  | C 124  |
| 22 x | 3175    | / 3233  | C 125  |
| 22 x | 3200    | / 3258  | C 126  |
| 22 x | 3226    | / 3284  | C 127  |
|      |         |         |        |
| 22 x | 3250    | / 3308  | C 128  |
| 22 x | 3302    | / 3360  | C 130  |
| 22 x | 3350    | / 3408  | C 132  |
| 22 x | 3378    | / 3436  | C 133  |
| 22 x | 3404    | / 3462  | C 134  |
|      |         |         |        |
| 22 x | 3450    | / 3510  | C 136  |
| 22 x | 3505    | / 3565  | C 138  |
| 22 x | 3550    | / 3610  | C 140  |



classical v-belts - wrapped DIN 2215 / ISO 4184 / BS 3790


|      | Li (mm) | Lp (mm) | Li (") |
|------|---------|---------|--------|
| 22 x | 3607    | / 3665  | C 142  |
| 22 x | 3650    | / 3710  | C 144  |
| 22 x | 3708    | / 3766  | C 146  |
| 22 x | 3734    | / 3792  | C 147  |
| 22 x | 3750    | / 3810  | C 148  |
| 22 x | 3810    | / 3868  | C 150  |
| 22 x | 3860    | / 3920  | C 152  |
| 22 x | 3962    | / 4020  | C 156  |
| 22 x | 4000    | / 4060  | C 158  |
| 22 x | 4064    | / 4122  | C 160  |
| 22 x | 4100    | / 4160  | C 162  |
| 22 x | 4166    | / 4224  | C 164  |
| 22 x | 4191    | / 4250  | C 165  |
| 22 x | 4216    | / 4274  | C 166  |
| 22 x | 4250    | / 4308  | C 167  |
| 22 x | 4267    | / 4325  | C 168  |
| 22 x | 4318    | / 4376  | C 170  |
| 22 x | 4394    | / 4450  | C 173  |
| 22 x | 4450    | / 4508  | C 175  |
| 22 x | 4500    | / 4558  | C 177  |
| 22 x | 4521    | / 4580  | C 178  |
| 22 x | 4572    | / 4630  | C 180  |
| 22 x | 4629    | / 4687  | C 182  |
| 22 x | 4700    | / 4758  | C 185  |
| 22 x | 4750    | / 4810  | C 187  |
| 22 x | 4826    | / 4884  | C 190  |
| 22 x | 4953    | / 5010  | C 195  |
| 22 x | 5000    | / 5060  | C 197  |
| 22 x | 5080    | / 5140  | C 200  |
| 22 x | 5182    | / 5240  | C 204  |
| 22 x | 5300    | / 5360  | C 208  |
| 22 x | 5334    | / 5392  | C 210  |
| 22 x | 5384    | / 5442  | C 212  |
| 22 x | 5486    | / 5544  | C 216  |
| 22 x | 5600    | / 5658  | C 220  |
| 22 x | 5715    | / 5773  | C 225  |
| 22 x | 5791    | / 5849  | C 228  |
| 22 x | 6000    | / 6058  | C 236  |
| 22 x | 6045    | / 6103  | C 238  |
| 22 x | 6096    | / 6154  | C 240  |
| 22 x | 6300    | / 6360  | C 248  |
| 22 x | 6477    | / 6535  | C 255  |
| 22 x | 6700    | / 6760  | C 264  |
| 22 x | 6730    | / 6790  | C 265  |
| 22 x | 6858    | / 6916  | C 270  |

|      | Li (mm) | Lp (mm) | Li (") |
|------|---------|---------|--------|
| 22 x | 7100    | / 7160  | C 280  |
| 22 x | 7240    | / 7298  | C 285  |
| 22 x | 7500    | / 7558  | C 295  |
| 22 x | 7620    | / 7678  | C 300  |
| 22 x | 7950    | / 8008  | C 313  |
| 22 x | 8000    | / 8060  | C 315  |
| 22 x | 9500    | / 9558  | C 374  |

Weight per m ~ 0,375 kg

Further sizes on request.

Section 25



| Li (mm) |      |
|---------|------|
| 25 x    | 1600 |
| 25 x    | 2240 |
| 25 x    | 2500 |
| 25 x    | 3000 |
| 25 x    | 3550 |
| <hr/>   |      |
| 25 x    | 3750 |
| 25 x    | 4000 |
| 25 x    | 5000 |
| 25 x    | 5600 |
| 25 x    | 6000 |
| <hr/>   |      |
| 25 x    | 6300 |

Section 32 / D



| Li (mm) |       | Lp (mm) |       | Li (") |
|---------|-------|---------|-------|--------|
| 32 x    | 2500  | /       | 2575  | D 98   |
| 32 x    | 2800  | /       | 2875  | D 110  |
| 32 x    | 3000  | /       | 3075  | D 118  |
| 32 x    | 3048  | /       | 3123  | D 120  |
| 32 x    | 3150  | /       | 3235  | D 124  |
|         |       |         |       |        |
| 32 x    | 3250  | /       | 3325  | D 128  |
| 32 x    | 3305  | /       | 3380  | D 130  |
| 32 x    | 3350  | /       | 3425  | D 132  |
| 32 x    | 3400  | /       | 3475  | D 134  |
| 32 x    | 3450  | /       | 3525  | D 136  |
|         |       |         |       |        |
| 32 x    | 3550  | /       | 3625  | D 140  |
| 32 x    | 3658  | /       | 3733  | D 144  |
| 32 x    | 3735  | /       | 3810  | D 147  |
| 32 x    | 3750  | /       | 3825  | D 148  |
| 32 x    | 3810  | /       | 3885  | D 150  |
|         |       |         |       |        |
| 32 x    | 4000  | /       | 4075  | D 158  |
| 32 x    | 4064  | /       | 4140  | D 160  |
| 32 x    | 4115  | /       | 4190  | D 162  |
| 32 x    | 4250  | /       | 4325  | D 167  |
| 32 x    | 4295  | /       | 4370  | D 169  |
|         |       |         |       |        |
| 32 x    | 4394  | /       | 4470  | D 173  |
| 32 x    | 4500  | /       | 4575  | D 177  |
| 32 x    | 4572  | /       | 4647  | D 180  |
| 32 x    | 4750  | /       | 4825  | D 187  |
| 32 x    | 4950  | /       | 5025  | D 195  |
|         |       |         |       |        |
| 32 x    | 5000  | /       | 5075  | D 197  |
| 32 x    | 5334  | /       | 5409  | D 210  |
| 32 x    | 5600  | /       | 5675  | D 220  |
| 32 x    | 5715  | /       | 5790  | D 225  |
| 32 x    | 6000  | /       | 6075  | D 236  |
|         |       |         |       |        |
| 32 x    | 6300  | /       | 6375  | D 248  |
| 32 x    | 6600  | /       | 6675  | D 260  |
| 32 x    | 6700  | /       | 6775  | D 264  |
| 32 x    | 7100  | /       | 7175  | D 280  |
| 32 x    | 7239  | /       | 7314  | D 285  |
|         |       |         |       |        |
| 32 x    | 7500  | /       | 7575  | D 295  |
| 32 x    | 7620  | /       | 7695  | D 300  |
| 32 x    | 8000  | /       | 8075  | D 315  |
| 32 x    | 8128  | /       | 8203  | D 320  |
| 32 x    | 8380  | /       | 8455  | D 330  |
| 32 x    | 8500  | /       | 8575  | D 335  |
| 32 x    | 11176 | /       | 11251 | D 440  |
| 32 x    | 11200 | /       | 11275 | D 441  |

Section 40 / E



|      | Li (mm) |   | Lp (mm) |   | Li (") |
|------|---------|---|---------|---|--------|
| 40 x | 5600    | / | 5680    | E | 220    |
| 40 x | 6300    | / | 6380    | E | 248    |
| 40 x | 10000   | / | 10080   | E | 394    |
| 40 x | 11200   | / | 11280   | E | 441    |
| 40 x | 12500   | / | 12580   | E | 492    |

Weight per m ~ 0,420 kg

Weight per m ~ 0,700 kg

Weight per m ~ 0,960 kg

Further sizes on request.