

TAGEX[®]

AGRI PARTS



Let's walk together

PLANTER CHAINS

TAGEX Simplex Roller Chain and links are OEM rated, supplied riveted, shot-peened, pre-loaded and pre-lubricated. TAGEX Premium range is assembled in Germany, the NSR Standard range is manufactured to highest specifications.

PLANTER PIPES

- LOW MAINTENANCE
- FATIGUE RESISTANT
- SINGLE STRAND
- OEM SPECIFICATIONS
- GERMAN ASSEMBLY

NSR
TAGEX

ASA40-1
ASA41-1
ASA50-1

Conveyor chain

- Geringhoff
- CLAAS
- Massey Ferguson
- Case
- John Deere
- Laverda
- New Holland
- Slattery
- Krone
- Corn Picker Chain
- Elevator Chain
- Feeder Conveyor Chain
- Grain Elevator Chain
- Planter Chain
- Baler Chain

AGRI CHAINS



K39 SLOTTED
WIDE APPLICATIONS



CAA557

TOUGH GERMAN STANDARDS SINCE 1984



FEATURES & BENEFITS

**COLD TEMPERATURE
PERFORMANCE**

REDUCED OIL SEPARATION

**EXTREME PRESSURE
PERFORMANCE**

**RESISTS WATER
WASHOUT**



AN102009

DR - DRAGO

034851A

CA557-K39



AGRIBELTS

Combine & Tractor belts:

- Case
- New Holland
- John Deere
- Massey Ferguson
- Ford
- Laverda

Baler Belts

Draper Belts

OEM GRADE



RUBBER TRACKS

Friction Drive Tracks:

- John Deere
- Challenger

Positive Drive Tracks:

- John Deere RX
- Case Quad Tracks

- 30 INCH
- 36 INCH

23% LONGER LIFE

ARMORLUG TECHNOLOGY



AGRI SPROCKETS

OEM GRADE



- Corn Picker Sprockets
- John Deere Hex Sprockets
- John Deere Idler Sprockets
- Rolstaaf Sprockets
- Grain Elevator Sprockets
- Planter Sprockets
- Conveyor Sprockets
(Bored & Keyed)

TAGEX NSR fully integrated 5 lip seal hub bearing systems are greased and sealed to maintain lubrication and prevent ingress for maintenance free operation. Includes a notched coultter blade for optimum penetration and implantation.

- BAA001
- 5 Lip Seal
- 4 Bolt Holes
- Greased and sealed for life
- Maintenance free

AGRIHUB + COULTER



NSR®

NSR
AGRI HUB
5 LIP SEAL

NOTCHED
COULTER BLADE

INTEGRATED UNIT

GEARBOXES



Performance levels meet or exceed:

- US Steel 224
- AGMA 250.04, 251.02
- David Brown S1.53.101
- DIN 51517, PART 3

TDH1000 SLASHER GEARBOX OIL



- **RC31** - RC31 Ratio 1:1.93 22,5kW L Spline 1.3/8 0.8L
- **AMF2714** - L44 kW Ratio 1:1.93 + HUB 6 Spline 1.3/8 2L
- **RC81** - RC81 Ratio 1:1.93 60 kW 6 Spline 1.3/8 2.4L
- **RC61LL** - RC61 Ratio 1:1.19345 kW Left to left drive 6 Spline 1.3/8 1.4L
- **RC130** - RC130 Ratio 1:1.46 90 kW 20 Spline 1.3/4
- **RC61T** - RC61 Ratio 1:1 T Box 1 3/8 6 Spline
- **LA25A** - LA 25 11 kW 1:1 Ratio 25mm shaft T Box
- **HC-01-661** - Flail Mower Gearbox

- Planter Bearings
- Gearbox Bearings
- Pickup Cam Bearings
- Disc Harrow Bearings
- Coulter Bearing Hubs
- Soil Master Hub Bearing
- Rolmoer Bearing



AGRI BEARINGS

BALENET

3600m

- HIGHER ELONGATION
- TOUGH
- CONSISTENT
- UV STABILIZED

TAGEX Balenet features higher than normal elongation giving it more elasticity for better durability during handling. In addition this provides more bales per roll, enables tighter bale compression, preserving the quality of the bale.



COMPLETE PTO'S

PTO Shafts:

- Complete Shafts
- Wide Angle Shafts

Tubing:

- Triangular
- Lemon
- Star

Yokes:

- Triangular
- Lemon
- Star
- Shear Bolt
- Round Bore
- Hexagon Bore

Universal Joints

- PTO Clutches
- PTO Adaptors
- PTO Covers




PTO BUILDING



TAGEX AGRIPARTS can build PTO's to customer specifications in the following ranges:

- TRIANGLE: 1, 2, 4, 6, 8
- STAR PROFILE: 6, 8



MAXIMUM POWER TRANSFER

TAGEX[®]

AGRI PARTS



Let's walk together

www.tagex.co.za